

# LED Floating Gimbal- 3CCT



FDFG-4-9W-3K4K5K-WH  
FDFG-4-9W-3K4K5K-BK

SKU#101047  
SKU#101048

100 Shields Court, Unit B  
Markham, Ontario  
Canada, L3R 9T5

Product choice: Black / White

**Adjustable in any direction**, easy to use, and the design allows for fine adjustments and gimbal position, It is perfect for directional accent lighting.

Ideal for sloped ceilings, wall washing, highlight artwork, task or general lighting etc.



BLACK



5 Years Limited Warranty



DAMP Location



DIMMABLE



INDOOR



IC RATED



AIR TIGHT

Factory Direct Lighting(2020) Ltd  
100 Shields Court Unit B, Markham, ON, L3R 9T5, Canada | 1-855-533-0743 | 905-944-1210  
[www.fdlighting.ca](http://www.fdlighting.ca)



Wattages



Lumens



Beam Angle



Tilt



Multi-directions



Lifespan



Color Rendering Index


## Features

- **90° tilt, you can adjust the light to right irradiance angle**
- Beam spread options available: 38°
- Made of durable steel material
- It is a high-performance, easy to install residential or commercial grade light solution that offers good light output, energy-efficiency and streamlined design
- Input voltage: AC 120V 50/60Hz
- Fast & easy to install-save on labour
- Color rendering index: 80
- 100%-10% dimming capability, this fixture is compatible with industry standard TRIAC/ELV dimmers
- Lifetime rated for greater than 50,000 hours
- Insulated ceiling rated for direct contact with insulation
- Suitable for damp location
- Air tight



Back View

## Dimensions



**FDFG-4-9W-3K4K5K-WH**

4" LED Floating Gimbal, 9 Watts, Pre-select CCT 3K/4K/5K, 700 lms, Dimmable 10-100%, 120V, Round, White



**FDFG-4-9W-3K4K5K-BK**

4" LED Floating Gimbal, 9 Watts, Pre-select CCT 3K/4K/5K, 700 lms, Dimmable 10-100%, 120V, Round, Black